



V85 TT - TECHNICAL SPECIFICATION	
Engine	Transversal 90° V-Twin, two valves per cylinder with variable timing (titanium intake valves), air cooled with Ride by Wire
Displacement	853 cc
Bore and stroke	84 x 77 mm
Max. power	80 Hp @ 7,750 rpm
Max. torque	83 Nm @ 5,100 rpm
Gearbox	6 speed
Frame	Tubular steel trellis frame
Front suspension	Ø41 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel
Rear suspension	Lateral monoshock with adjustable preload and rebound damping. Remote spring preload adjustability.
Front brake	Twin Ø320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS.
Rear brake	Single Ø260 mm disc, 2-piston caliper. Cornering ABS
Front wheel	Tubeless cross spoked, 19" x 2.5"
Rear wheel	Tubeless cross spoked, 17" x 4.25"
Seat height	830 mm
Dry weight	209 Kg
Wet weight	230 Kg
Fuel tank	23 litres
Consumption	4.9 L/100 Km
CO₂ Emissions	119 g/Km
Compliance	Euro 5+
Features	Full LED headlight with DRL, LED indicators, Cornering ABS and Traction Control, Cruise Control, 4 Riding Modes, full colour TFT instrument, USB socket, manually adjustable windscreen, aluminum skid plate, hand guards

*According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume